119

## Lubrication

A Technical Publication Devoted to the Selection and Use of Lubricants

> Index for years 1928-1932 Inclusive



PUBLISHED BY

THE TEXAS COMPANY

TEXACO PETROLEUM PRODUCTS

In Norder that full benefit may be derived from the information contained in magazine "LUBRICATION," the following index has been prepared, setting forth in detail the topics discussed during the past five years. The volume numbers 14, 15, 16, 17, and 18, representing respectively the years 1928, 1929, 1930, 1931, and 1932, are bold face, with page numbers following.

Ai

Ai

Ai

Au

Due to stock of back issues being limited, there is no guarantee that requests for same can be complied with in all cases.

## Lubrication Index for Years 1928-1932 Inclusive

Acidity, 17, 65, 75

Adhesion, 16, 136.

Air Cooling, 15, 110.

Air Compressor Oils:

Diesel Engine Requirements, 16, 10; 17, 4.

Effect of Carbon Residue, 16, 6.

Essential Requirements, 14, 52; 17, 87, 88.

Lubrication Requirements, 15, 95; 17, 4, 19,

Air Compressor Operation, 14, 102-4; 17, 30.

Air Cylinder Lubrication:

Methods, 17, 88.

Air Tool Lubrication, 14, 57.

Aircraft Engine:

Auxiliary Lubrication, 14, 82; 15, 143.

Bearing Construction, 14, 81; 15, 136, 138, 143.

Construction, 15, 136; 18, 75.

Cooling, 14, 80; 15, 117, 118, 134; 18, 80.

Design, 18, 73.

Dry Sump Lubrication, 15, 136; 18, 81.

Lubrication, 15, 140; 18, 73-84.

Oil Requirements, 14, 73; 15, 141, 142.

Operation, 15, 133-144; 18, 77.

Supercharger, 14, 83; 15, 144.

Throttle Control, 15, 133.

Types of, 14, 75; 15, 138-140; 18, 74, 82.

Ammonia Systems, Selection of Lubricants for, 15, 42.

Automotive Engine:

Battery, 15, 29.

Carburetion, 15, 27; 16, 74.

Cold Weather Protection, 15, 118-120.

Compression Ratio, 15, 29.

Constructional Requirements, 15, 25; 16, 80.

Ignition, 15, 29.

Knocking, 15, 30; 16, 79.

Radiator Protection, 15, 120.

Spark, 15, 29.

Timing, 15, 29.

Automotive Lubrication:

Acidity, 14, 48.

Air Filtration, 14, 42; 16, 83.

Chassis, 14, 24.

Crankcase Dilution, 14, 43; 16, 84.

Effect of Carbon Residue, 14, 40; 15, 36; 16, 6, 82.

Fuel Requirements, 15, 30; 16, 74-79.

Heavy Duty, 14, 85-94.

Oil Filtration, 14, 41; 16, 83.

Oil Gauge Pressure, 16, 81.

Pressure, 14, 138.

Protection of, 14, 41; 16, 83.

Sulfur, 14, 47; 15, 32; 16, 76.

Systems of, 14, 37; 16, 28-9.

Viscosity, 14, 38; 15, 35, 114-116.

Warm Weather Driving, 16, 73-84.

Water, 14, 45-47; 15, 33-4; 16, 77-8.

Automotive Production Machinery:

Lubrication, 16, 97-108.

Bearing Design:

Pennsylvania State College Research, 17, 49-60; 18.

Bearing Metals:

Casting, 14, 62.

Pouring, 14, 62.

Bearings:

Accumulation of Carbon in, 16, 11-12.

Adjustment and Alignment of, 17, 77-82.

Aircraft Engine, 14, 81; 15, 136, 138, 143;

18, 75.

Anti-friction, 14, 82, 128; 15, 16, 19, 113, 128, 138; 16, 16, 54, 105, 125; 18, 21, 76.

Automotive Engine, 15, 26.

Ball, **15**, 20; **16**, 106.

Carding machine cylinder, 16, 17.

Choice of, 15, 10.

Classification of Marine Type, 17, 39.

Cleaning of, 16, 107.

Clearance, 16, 80; 17, 78.

Construction, 16, 32, 51, 105.

Eccentric, 15, 50.

Electric Crane, 14, 22.

External Lubrication, 17, 41.

Felt Roll, 16, 127.

Guide, 16, 53.

Indications of Wear, 14, 129.

Kiln Car, 18, 132.

Lubricating Systems, 17, 40.

Lubrication of, 17, 39, 49-60, 81; 15, 66-8.

Magneto, 14, 83; 15, 143.

Main, 17, 42.

Metals, 14, 61.

Metal Plating, 18, 76.

Mine Car, 14, 20; 18, 9.

Oil Film Pressure, 17, 49-60.

Oil Grooves, 14, 64; 15, 137; 17, 81.

Paper Machinery, 16, 123.

Plain, **14**, 61, 122; **15**, 61-72; **18**, 10, 75. Prediction of Performance, **18**.

Ring Oiled, 15, 16.

Roller, 15, 21, 58; 16, 107; 18, 10, 13-24.

Seal, 14, 131.

Self Oiled, 15, 58.

Sleeve Type, 14, 61, 81; 15, 136; 18, 75.

Stoker, 15, 24.

Temperatures, 18, 18.

Thrust, 14, 10; 15, 138; 16, 51.

Trunnion, 15, 57.

Turbine, 16, 91.

Types, 18, 9.

Valve Rocker Arm, 15, 143.

Venting, 18, 16.

Blowers, 17, 86.

Boiler Operations, 17, 68.

Brick and Tile Machinery: Low Viscosity Lubrication, 16, 93-5.

Lubrication of, 18, 125-8.

Carbon Residue, 14, 40; 15, 36, 96. Conveyors: Chemical Constituents, 16, 2. Automotive Plant, 16, 104. Detriments of, 18, 106. Cement Mill, 15, 59. Effect on Air Compressor Service, 16, 6, 11; Cost of Lubrication, 14, 97-108. 17, 31. Couplings: Effect on Automotive Service, 16, 6, 11, 82. Grease Lubricated, 18, 47-8. Effect on Diesel Engine Operation, 16, 9, 11; Oil Lubricated, 18, 44-7. 17, 12, 21. Crankcase Dilution, 14, 43-5; 16, 84. Effect on Power, 18, 107. Cylinder Lubrication: Effect on Quenching, 18, 41. Gas Engine, 18, 106. Manner of Formation, 17, 88. Steam, 16, 33. Methods of Determining: Conradson, 16, 3. Demulsibility, 17, 73-7. Hot Plate, 16, 5. Diesel Engine Lubrication: Ramsbottom, 16, 4 Bearing Lubrication, 16, 31; 17, 13-22. Relation to Lubricating Performance, 16, Cost of, 14, 104. 1-12. Cylinder Lubrication, 16, 31; 17, 4, 6, 13-22; Relation to Tractor Operation, 16, 41-2. 18, 35. Result of Oil Breakdown, 17, 87. Essential Characteristics, 17, 3. Significance of, 17, 65. Influence of Construction on Choice of Carding Machinery Lubricants, 17, 1-12. Cotton and Wool, 16, 16. Selection of Lubricants, 17, 4-5. Worsted, 14, 21. Systems, 17, 5. Cement Mill Machinery: Diesel Engine Operation: Conveyors, 15, 59. Air Compressor Requirements, 16, 10. Function of, 15, 49. Air Filtration, 17, 29. Lubrication of, 15, 49-60. Carbon Residue, 16, 9; 18, 35. Centrifugal Purification of Oil, 14, 125; 17, 36. Drives, 16, 30. Ceramics: Engine Cooling, 15, 92-3. Low Viscosity Lubrication, 16, 93-5. Fuels, 15, 90-1. Chain Lubrication, 16, 108. Importance of Complete Combustion, 15, 88. Clay Products Machinery, 18, 121-32. Methods of Fuel Injection, 15, 89. Coal: Possible Causes of Wear, 15, 85-7. Automatic Firing Equipment, 15, 13. Sludge Formation, 16, 9; 18, 35. Breaking, 18, 4, 11. Cutting Machinery, 18, 3, 7. Pneumatic, **14**, 51. Cleaning, 18, 4, 11. Drilling, 18, 2. Electric Railway Lubrication: Journals, 15, 74. Handling Equipment, 14, 112. Loaders, 18, 3, 8. Power Consumption, 15, 73. Protection of, 15, 75. Mining Machinery Lubrication Require-Waste, 15, 76-9. ments, 18, 1-12. Picking Machinery, 18, 7. Emulsibility: Punching Machinery, 18, 7. Turbine Oils, 14, 25; 16, 56; 17, 73-6. Screens, 18, 12. Emulsification, 16, 137; 17, 33. Sorting, 18, 4. Causes, 16, 138. Stoker Design, 15, 14. Compounding as an Aid to, 17, 70. Cold Room Operation, 18, 72. Development and Relative Value of Tests, Compressed Air Machinery: 17, 73-7. Lubrication of, 14, 49-60. Of Textile Oils, 18, 110-11. Relation to Practical Lubrication, 16, 138. Compressors: Air, 14, 102-4; 15, 95-6; 16, 26-7; 17, 86-90; Theory of, 18, 111. 18, 32-5. Emulsoids, 16, 138. Ammonia, 15, 42, 47. Engine Cooling: Carbon Dioxide, 15, 47. Aircraft, 14, 80; 15, 117, 118, 134. Ethyl Chloride, 15, 47. Diesel, 15, 92-3. Gas, 17, 94. Exhaust Steam for Process Heating: Methyl Chloride, 15, 47. Effect of Lubrication on the Use of, 17, 66-72. Mine, 18, 7. Fatty Oil, Relation to Lubricating Value, 16, Multi-Stage, 14, 50. 134. Portable, 18, 7. Reciprocating, 17, 85. Filtration: Refrigerating, 17, 91. Automotive Oil, 14, 41. Rotary, 17, 86; 14, 50. Automotive Air, 14, 41. Single Stage, 14, 50. Bulk, 14, 123.

Continuous Unit, 14, 124.

Principle of Air, 17, 28.

Super, 17, 90-1.

Types of, 14, 50.

I

I

1

I

Flexible Couplings. Care of, 18, 44. Cross Type, 18, 48. Function of, 18, 43-8. Lubrication, 18, 43-8. Pin, 18, 46, 48.

Foaming, in Turbine Oils, 17, 76.

Gas Compressors: Lubrication, 17, 94-6.

Spring Type, 18, 47.

Gas Engine Lubrication, 18, 97-108.

Gasoline Evaluation:

Distillation, 15, 30; 16, 75. End Point, 15, 31; 16, 76. Gravity, 15, 34-5. Sulfur, 15, 32; 16, 76.

Water Content, 15, 34; 16, 77.

Gearing:

Driving, 15, 17. Exposed Lubrication of, 15, 9, 23. Indications of Wear, 14, 130. Industrial Truck, 14, 20. Lubricant Characteristics, 15, 124.

Lubrication, 14, 119, 142; 15, 53, 129; 16, 16, 71, 141-4; 17, 63.

Materials Handling, 14, 119.

Pressure Application of Lubricants, 16, 116. Reduction, 15, 22; 16, 34, 102; 18, 67-72.

Rubber Industry, 16, 141. Spur and Bevel, 15, 23. Steel Mill, 16, 110. Worm, 15, 23; 18, 69.

Bearing Seal, 14, 131. Characteristics, 14, 17; 16, 32, 47. Fiber, 14, 16.

Lime Base Cup, 14, 14.

Lubricating Value of, 17, 63. Manufacture, 14, 15.

Operating Factors Which Influence Choice of, 14, 18.

Sett, 14, 15. Soda Base, 14, 16. Sponge, 14, 16.

Grease Lubrication:

Hydraulic Turbines, 16, 55. Means of, 16, 113. Of Bearings, 16, 107. Of Couplings, 18, 47-8.

Power Driven, 14, 135; 16, 114. Pressure, 15, 3, 131; 16, 48, 72.

Spring Type, 14, 134; 16, 114. Typical Instances of Grease Lubrication, 14, 20.

Under Water, 15, 97-9.

Heavy Duty Engine Lubrication, 14, 85-94.

High Temperatures:

Automotive Operation, 16, 73-84. Bearing Service, 18, 61-7.

Cement Mill, 15, 60.

Highway Construction Machinery, 16, 25-36. Horizontal Engines, 17, 45.

Hot Bearings:

Causes, 17, 82-4. Treatment, 17, 82-4. Hot Rods:

Treatment, 17, 84.

Hydraulic Equipment:

Lubrication in Presence of Water, 15, 106-7.

Parts Involved, 16, 51. Power Generating, 16, 49-60.

Systems of Lubrication, 16, 54.

Interfacial Tension, 16, 135.

Internal Combustion Engines. (See Automotive Lubrication.)

Journal Lubrication:

Electric Railway, 15, 74. Low Viscosity, **15**, 82. Reduction of Wear, **16**, 87.

Knitting Machinery. (See Textile.)

Lathe Operation, 16, 102-3.

Loaders:

Coal, 18, 8. Mechanical, 18, 3.

Low Viscosity Lubrication:

Brick and Tile Machinery, 16, 93-5.

Ceramics, 16, 93-5.

Electric Railway Service, 15, 80; 16, 86-8. Textile Machinery, 16, 88-90.

Turbine Bearing, 16, 91-3.

Low Viscosity Oils:

Diesel Engine, 15, 81.

Electric Railway Service, 15, 80; 16, 86-8. Journals, 15, 82.

Steam Turbine, 15, 81.

**Lubricant Characteristics:** 

Adhesion, 16, 136. Carbon Deposits, 16, 139.

Emulsification, 16, 137; 18, 110-11.

Interfacial Tension, 16, 135.

Oxidation, 16, 139.

Requirements in Marine Service, 17, 39.

Saponification, 16, 137; 18, 111-12. Surface Tension, 16, 134.

Lubricant Seals:

Importance of, 18, 14.

Lubricating Ability:

Laboratory Determination of, 17, 61-6. Methods of Determination, 17, 63-4.

Lubrication:

Automatic, 15, 129. Compressor, 17, 85-96.

Drip, 16, 72.

Grease Cup, 16, 72.

Importance of, 16, 81-2; 17, 38. Internal Combustion Engine, 16, 28-9.

In the Presence of Water, 15, 97-108.

Mechanical Force Feed, 14, 140; 15, 4, 41, 129; 16, 39-40, 70, 98-100; 17, 13, 89, 93; 18, 25.

Methods of External, 17, 42. Methods of Internal, 17, 44.

Pressure, 15, 41, 130; 16, 71-2.

Pressure Circulating, 16, 101; 17, 14; 18, 103.

Protection of, 17, 28-32.

Ring, Chain and Collar Oilers, 15, 112; **16**, 71; **17**, 15; **18**, 105.

Siphon, 14, 126.

Splash, 15, 40, 101; 17, 14, 92; 18, 104.

Lubrication (Continued): Pneumatic Tools: Swing and Crowd Engine, 16, 28. Application of Lubricants, 14, 59. Wick Feed, 14, 126. Design and Construction, 14, 51. Lubrication Recommendations: Lubrication in Presence of Water, 15, 100. Development of, 16, 61-72. Purpose of, **14**, 51. Lubrication Systems: Pottery Manufacture, 18, 128-30. Aircraft Engine, 14, 76. Pour Test: Automotive, 14, 37. Importance of, 15, 42; 16, 57. Plain Bearing, 14, 69-72. Relation to Tractor Operation, 16, 41. Machine Inspection, 16, 95-6. Machine Tool Lubrication: Centralized Lubrication, 15, 130; 16, 69, 100; Requirements, 16, 102. 18, 26. Marine Steam Propulsive Machinery: Compression, 15, 134. Lubrication of, 17, 37-48. Effect on Oil Film, 17, 8. Materials Handling: Lubrication, 14, 133-144; 15, 41; 16, 48, 72, Compressed Air Machinery, 16, 26-7. 112; 17, 92. Conditions of Operation, 16, 25. Problems of Lubrication, 14, 1; 15, 58. Equipment Involved, 14, 109; 16, 26. Relation to Choice of Lubricant, 16, 64. Gear Drives, 14, 119. Types, 14, 3. Lubrication in Presence of Water, 15, 104-6. Printing Machinery: Flat Bed, 15, 123. Motive Power for, 14, 113; 16, 26. Lubrication of, **15**, 121-32. Mining Operations: Press Construction, 15, 121. Drills, 18, 5. Pressroom Machinery, 15, 121. Locomotives, 18, 4, 11. Web, 15, 126. Portable Compressors, 18, 7. Process Heating: Ventilation, 18, 4, 11. Effect of Lubrication on the Use of Exhaust Wheel Bearings, 18, 9-10. Steam for, 17, 66-72. Motor Oil Characteristics: Pumps: Carbon Residue, 15, 36. Centrifugal, **15**, 111. Viscosity, 15, 35. Chain and Gear Driven Lubricator, 14, 137; Viscosity Numbers, 16, 132. 16, 68. Motor Transport Equipment, 14, 85. Deep Well, 14, 21; 15, 102. Navy Work Factor: Lubrication in Presence of Water, 15, 102-4. Calculation of, 17, 63. Mine, 15, 103. Method, 17, 62. Oil, 15, 55. Oil Cooling, 15, 110. Rotary, 15, 111. Purification of Used Oils. (See Reclamation.) Oil Engines. (See Diesels.) Quenching: Oil Grooves, 17, 81. Effect on Color of Steel, 18, 42. Dimensions of, 14, 67. Purification, 18, 41. Frequently Eliminated, 15, 137. Types of Media, 18, 37. Function of, 14, 65. Use of Oil for, 18, 37-42. Location of, 14, 65. Radiator Protection, 15, 120. Manner of Cutting, 14, 68. Railway Lubrication: Plain Bearing, 15, 65. Electric, 15, 73-84; 16, 86-8. Purpose of, 14, 64. Roller Bearing, 18, 20-4. Oil Storage: Reciprocating Steam Engines: Electric Railway, 15, 78-9 Lubrication of, 17, 37-48. Textile, 16, 24. Reclamation of Used Oils: Oxidation, 17, 34. Compressor, 15, 46. Effect of, 16, 139. Methods, 17, 32-6. Turbine Oils, 14, 29; 17, 9, 16, 74. Motor, 14, 94-6. Paper Machinery Quenching Oils, 18, 41. Back Drives, 16, 130. Reduction Gears, 16, 34; 18, 67-72. Bearing Lubrication, 16, 123; 18, 19-20. Cold Room Operations, 18, 72 Beaters and Washers, 16, 122. Refrigeration: Calender Stacks, 16, 131; 17, 69. Compressor Lubrication, 17, 91-4. Cylinder Machine Operations, 16, 125. Elements, 15, 37, 39. Drying, 16, 128; 18, 62. Methods, 15, 37. Roller Bearing:

V.

3

1

Adaptability of, 18, 13-24.

Gear Lubrication, 16, 141.

High Temperature Service, 18, 65.

Rubber Machinery:

Significance of Tests:

Acidity, 17, 65.

Felt Roll Bearings, **16**, 127. Fourdrinier, **16**, 124.

Pressure Operation, 14, 4.

Table Roll Operations, 16, 126.

Wet End Operation, 16, 124.

Wick Feed Design, 16, 127.

Lubrication of, 16, 121-132; 18, 19-20.

Significance of Tests (Continued): Carbon Residue, 17, 65. Precipitation, 17, 65. Viscosity, 17, 64. Silk. (See Textile.) Slow Speed Machinery: Textile, 16, 21. Sludge, 17, 74, 92. S.A.E. Viscosity Numbers, 16, 132. Steam Cylinders: Lubrication in Presence of Water, 15, 107. Lubrication of, 16, 33-4; 17, 69; 18, 27. Stoker, 15, 21-22. Steam Propulsive Machinery: Lubrication of, 17, 37-48. Steam Turbine Lubrication: Bearings, 16, 91-3. Factors Involved, 14, 25. Low Viscosity, 15, 81. Pressure, 14, 143. Steel: Developments in Lubrication, 16, 109-20; **18**, 17-19. Lubrication in Presence of Water, 15, 101. Reduction of Hazard in Steel Mill Operation, **16,** 119. Rolling Mill Lubrication, 14, 6. Stoker: Character of Lubricants, 15, 20. Design, 15, 14. Drives, 15, 20. Mechanisms, 15, 18. Steam Cylinder, 15, 22. Types of, 15, 14. Storage of Lubricants: Electric Railway, 15, 78-9. Methods, 17, 23. Textile, 16, 24. Sugar Cane Cultivation, 18, 49. Sugar Machinery: Beet, 18, 56-60. Cane, 18, 53-6. Cultivation, 18, 50. Harvester, 18, 51-2. Transportation, 18, 50. Sugar Manufacture: Beet, 18, 56-60. Cane, 18, 53. Sulfur in Motor Oils, 14, 47. Supercharger: Aircraft Engine, 14, 83. Superheated Steam Conditions, 17, 47. Surface Tension: Defined, 16, 134. of Solids, 16, 135. Relation to Emulsification, 16, 135. Suspensoids, 16, 138. Temperature Methods of Control, 15, 109-11. Relation to Choice of Lubricant, 16, 66. Textile Machinery: Bale Breakers, 16, 16. Carding Machinery, 14, 21; 16, 16. Dye House, 17, 67; 18, 119-20.

Finishing, 18, 66.

Gilling and Backwashing, 16, 17.

Knitting, 14, 105; 16, 89-90; 18, 117-8.

Textile Machinery (Continued): Printing, 14, 5. Silk Mill, 14, 106. Textile Machinery Lubrication: Chemical Aspects of, 18, 109-20. Comb Box, 16, 16. Combing Machine, 16, 17. Development of, 16, 14. Drawing, Roving and Spinning, 16, 18. Dye House, 16, 22; 18, 119-20. Finishing, 16, 23. Jacquard, 16, 22. Low Viscosity, 16, 88-90. Mule Spinning, 16, 20. Silk Throwing, 16, 20. Slow Speed, 16, 21. Spindles, 16, 18, 89. Weaving, 16, 21. Tractor: Design and Construction, 16, 38. Lubricating Systems, 16, 39. Lubrication, **16**, 37-48. Turbine Oils: Acidity, 17, 75. Bearing Lubrication, 16, 91-3. Characteristics, 14, 25-31; 16, 55-8. Contamination, Prevention of, 14, 35. Demulsibility, 17, 73-7. Emulsibility, 14, 25; 16, 56; 17, 73-7. Foaming, 17, 76. Oxidation, 17, 74. Reconditioning, 16, 58. Requirements of, 15, 116-17. Sludge, 17, 74. Temperature Reduction, 14, 36; 16, 58. Vertical Engines, 17, 46-72. Viscosity: Aircraft Engine Oil, 14, 74; 18, 84. Automotive Lubricants, 14,38; 15, 35; 16, 89. Ball Bearings, 15, 20. Compressor Oils, 15, 44; 16, 28; 17, 87. Heat Transfer, 16, 91. Hydraulic Turbine Oils, 16, 56. Maintenance of, 15, 116. Meaning of, 15, 114; 16, 42, 67; 17, 64. Numbers, S. A. E., 16, 132. Relation to Choice of Lubricant, 16, 65. Relation to Demulsibility, 16, 91. Relation to Temperature, 15, 113; 16, 82. Relation to Tractor Operation, 16, 41-2. Turbine Oils, 14, 27. Air Tool Lubrication, 14, 57. As a Cooling Media, 15, 109; 17, 44. Automotive Lubrication, 14, 45-7; 15, 33-4. Compressors, **15**, 43, 96. Effect of, in Mine Drills, 18, 6. Effect on Turbine Oils, 14, 31; 17, 75. In Steel Mill Lubrication, 16, 119; 18, 18. Lubrication in Presence of, 15, 97-108. Wire Rope: Lubrication of, **14**, 116-9; **15**, 104-6; **16**, 35-6. Woodworking: Essentials of Lubrication, 15, 1-12. Work Factor:

Navy, 17, 62-3.

Worm Reduction Gear Lubrication, 18, 67-72.